Author Index of Volume 462

Abel, E.W., 287
Al-Juaid, S.S., 45
Amberger, H.-D., 69
Andersen, R.A., 175
Antonelli, D.M., 213
Anwander, R., 163
Arduengo III, A.J., 13
Atherton, Z., 265

Bailey, P.J., 301
Balegroune, F., 271
Baumgartner, G., C3
Bercaw, J.E., 213
Bissinger, P., 107
Blom, R., 131
Blumenthal, A., 107
Bock, H., 31
Boroni, E., C24
Boyle, T.J., 141
Braga, D., 301
Brauer, D.J., 111
Braunstein, P., 271
Burton, N.C., 39
Butler, I.R., C6
Byriel, K.A., 243

Calderazzo, F., C10
Cardin, C.J., C27
Cardin, D.J., C27
Carty, A.J., C24
Castel, A., 97
Caulton, K.G., C1
Chappell, S.D., 295
Chisholm, M.H., C1
Ciccu, A., 111
Clark, G.R., 331
Clark, T.J., 247
Clegg, W., C12
Cloke, F.G.N., 39
Corrigan, J.F., C24
Cotton, J.D., 243
Coult, R., 19
Cuenca, T., 191
Cullen, W.R., C6

Daniel, T., 309
Davidson, F., 13
Deacon, G.B., 183
De Benedetto, G.E., C10
Dias, H.V.R., 1, 13
Dixneuf, P.H., C18
Doherty, S., C24
Duchateau, R., 149
Dutremez, S.G., C1
Dyer, P.W., C15
Dyson, P.J., 301

Eaborn, C., 45
Edelmann, F.T., 69
Edelstein, N.M., 69
Einstein, F.W.B., C6
Engelhardt, L.M., 295
Englert, U., C10
Evans, W.J., 141

Fallon, G.D., 183
Faulkner, C.W., 265
Faure, T., 271
Fischer, J., 111
Flores, J.C., 191
Flower, K.R., 331
Fogg, D.E., C21
Forsyth, C.M., 183
Fox, M.A., 19
Fülöp, V., 375

Gamper, S., C3
Gibson, V.C., C12, C15
Gill, W.R., 19
Glanz, M., 155
Goldberg, J.E., 353
Görlitz, F.H., 155
Grandjean, D., 271
Green, M.L.H., 209
Grepioni, F., 301

Haaland, A., 131
Habtemariam, A., 45
Hagen, C., 69
Haggitt, J.L., 365
Hammel, A., 131
Harlow, R.L., 13
Heaton, B.T., 347
Hemling, H., 155
Herbertson, P.L., 19
Hernandez, C., 259
Herrmann, W.A., 163
Heßler, G., 111
Hey-Hawkins, E., 203
Hitchcock, P.B., 45, 319
Hockless, D.C.R., C12
Howard, J.A.K., C15

Ingham, S.L., 265

Jacob, C., 347
James, B.R., C21
Jeffery, J.C., 353
Johnson, B.F.G., 301
Jones, R.H., C6
Joseph, S.C.P., 39
Jutzi, P., 57

Kakkar, A.K., 265
Karamallakis, H., 39
Karsch, H.H., C3
Kennard, C.H.L., 243
Khallaayoun, A., 89
Khan, M.S., 265
Killian, C.M., 247
Kleimeier, J., 57
Knaup, W., 309
Knorr, M., 271
Komatsuzaki, N., 343
Krallmann, R., 57
Kurz, S., 203

Laske, D.A., 149
Lee, H.-K., 7
Leslie, D.B., C1
Leung, W.-P., 7
Lewis, J., 265, 301
Long, N.J., 265, 287
Luthra, S., 247
Lynch, D.E., 243

MacBride, J.A.H., 19
Mackay, K.M., 79
Mak, T.C.W., 7
Manojlovic-Muir, L., 235
Mathey, F., 103
Matos, R.M., 319
Mayer, B., 225
Mercier, F., 103
Meuret, J., 31
Mingos, D.M.P., 365
Moffet, S., 347
Morise, X., 209
Muir, K.W., 235
Munck, F.C., 163

Neumann, B., 57
Nicholson, B.K., 79
Nile, T.A., 247
Nixon, J.F., 319
Nürnberg, O., 309

Olmstead, M.M., 1
Orrell, K.G., 287

Pampaloni, G., C10
Pannell, K.H., 259
Parisini, E., 301
Parkin, G., 213
Pegelow, U., 69
Perera, S.D., 221
Pirio, N., C18
Poole, A.D., C12

Power, M.B., C27
Power, P.P., 1
Puddephatt, R.J., 235

Raithby, P.R., 265
Raston, C.L., 295
Reddmann, H., 69
Reed, D., 301
Rennie, M.-A., 235
Rickard, C.E.F., 331
Rivière-Baudet, M., 89
Rivière, P., 97
Rocchi, L., C10
Roper, W.R., 331
Royo, P., 191
Ruhlandt-Senge, K., 1
Ruppert, K., 31

Salter, D.M., 331
Sameh, A.A., 39
Satgé, J., 89, 97
Schaefer, W.P., 213
Scheck, T., 243
Scherer, W., 163
Schmidbaur, H., 107
Schubert, U., 225
Schumann, H., 155
Seebald, S., 225
Shalimoff, G.V., 69
Sharma, H.K., 259
Shaw, B.L., 221
Sheldrick, W.S., 111
Shepherd, D.S., 301
Shirai, K., 343
Siemeling, U., C12
Šik, V., 287
Smith, J.D., 45
Speier, G., 375
Spek, A.L., 149
Stammler, H.-G., 57
Stelzer, O., 111
Stone, F.G.A., 353
Streib, W.E., C1
Struchkov, Y.T., 131
Stults, S.D., 175
Szabó, L., 375

Takahashi, S., 343
Tavakkoli, K., 45
Taylor, N.J., C24
Teuben, J.H., 149
Thornton-Pett, M., 221
Tian, Z., 125
Timofeeva, T.V., 131
Tiripicchio, A., C24
Touchard, D., C18
Tuck, D.G., 125

Uno, M., 343

Van Tiel, M., 79
Vessey, J.D., 221

Wade, K., 19
Ward, G.N., 287
Webb, A.D., 45
Weidlein, J., 131
Werner, H., 309
White, A.H., 295
Williams, D.N., C12
Wilson, C., C15
Wright, L.J., 331

Xiao, J., 235

Zalkin, A., 175
Zhou, Z.-Y., 7
Ziller, J.W., 141

Subject Index of Volume 462

Aluminium

Synthesis of new bis(cyclopentadienyl)yttrium complexes with ether functionalized cyclopentadienyl ligands. Crystal structure of $[(C_5H_4CH_2CH_2OMe)_2Y(\mu\text{-}H)_2BH_2]$ (D.A. Laske, R. Duchateau, J.H. Teuben and A.L. Spek), 149

Barium

$HB(3,5\text{-}Me_2pyrazolyl)_3^-$ as an encapsulating ligand for Ba^{II} (S.G. Dutremez, D.B. Leslie, W.E. Streib, M.H. Chisholm and K.G. Caulton), C1

Boron

C-arylation and C-heteroarylation of icosahedral carboranes via their copper(I) derivatives (R. Coult, M.A. Fox, W.R. Gill, P.L. Herbertson, J.A.H. MacBride and K. Wade), 19

The crystal and molecular structure of tricyclohexylphosphine-(trimethylsilyl)borane $Cy_3P \cdot BH_2SiMe_3$ (A. Blumenthal, P. Bissinger and H. Schmidbaur), 107

Synthesis of new bis(cyclopentadienyl)yttrium complexes with ether functionalized cyclopentadienyl ligands. Crystal structure of $[(C_5H_4CH_2CH_2OMe)_2Y(\mu\text{-}H)_2BH_2]$ (D.A. Laske, R. Duchateau, J.H. Teuben and A.L. Spek), 149

Studies on the complex $[Rh\{\sigma,\eta^5\text{-}7,9\text{-}C_2B_9H_{10}[C(H)C_6H_4Me\text{-}4]\text{-}10\}(CO)(PPh_3)]$; crystal structure of the compound $[Rh(CO)(PPh_3)\{\eta^5\text{-}7,9\text{-}C_2B_9H_{10}[C(H)(C_6H_4Me\text{-}4)(PEt_3)]\text{-}10\}]$ (J.E. Goldberg, J.C. Jeffery and F.G.A. Stone), 353

$HB(3,5\text{-}Me_2pyrazolyl)_3^-$ as an encapsulating ligand for Ba^{II} (S.G. Dutremez, D.B. Leslie, W.E. Streib, M.H. Chisholm and K.G. Caulton), C1

Cadmium

The preparation and crystal structures of the compounds $(Ph_2MeSi)_3CMCl$ (M = Zn, Cd, or Hg) (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock, J.D. Smith, K. Tavakkoli and A.D. Webb), 45

Cerium

Preparation of $(Me_3CC_5H_4)_4M_2(\mu\text{-}Me)_2$ (M = Ce or U) and the crystal structure of the cerium derivative (S.D. Stults, R.A. Andersen and A. Zalkin), 175

Chromium

Crystal structure, and variable temperature proton and carbon-13 NMR spectra of the 9-membered ring complex $[Cr(CO)_4\{E,Z\text{-}PPh_2CH_2C(^tBu)\text{=}N\text{-}N\text{=}C(^tBu)CH_2PPh_2\}]$ (S.D. Perera, B.L. Shaw, M. Thornton-Pett and J.D. Vessey), 221

The regiospecific reaction of diphenylacetylene with bis(cyclopentadienyl)(*o*-fluorobenzyne)titanium. The crystal structure of the $Cr(CO)_3$ derivative of 1,1-bis(cyclopentadienyl)-2,3-diphenyl-7-fluorotitanole (I.R. Butler, W.R. Cullen, F.W.B. Einstein and R.H. Jones), C6

Cobalt

Preparation and structures of mixed silicon-cobalt carbonyl clusters with Si–H, Si–O or Si–S bonds (M. Van Tiel, K.M. Mackay and B.K. Nicholson), 79

Synthesis of planar-chiral cobalticinium complexes and their properties as chiral anion receptors (M. Uno, N. Komatsuzaki, K. Shirai and S. Takahashi), 343

Copper

Preparation and molecular structure of an adipinato copper norbornadiene complex (G. Speier, L. Szabó and V. Fülöp), 375

Europium

Zur Elektronenstruktur metallorganischer Verbindungen der *f*-Elemente. XXXIV. Ist der *N,N'*-bis(trimethylsilyl)benzamidinato-Ligand im Falle von Lanthanoid-Zentralionen ein elektronisches Äquivalent zum η^5-Cyclopentadienyl-Liganden? (C. Hagen, H. Reddmann, H.-D. Amberger, F.T. Edelmann, U. Pegelow, G.V. Shalimoff und N.M. Edelstein), 69

Germanium

Stable germa-imines: synthesis and reactivity of orthosubstituted anilinodimesitylgerma-imines (M. Rivière-Baudet, A. Khallaayoun and J. Satgé), 89

Recent developments in arylgermyl and arylhydridogermanium-metal compounds (A. Castel, P. Rivière and J. Satgé), 97

Oxidative addition of Group 14 hydrides to osmium(0), osmium(II) and ruthenium(0) complexes. Crystal structures of $Os(SiEt_3)H(CO)_2(PPh_3)_2$ and $Os(Ge[p\text{-tolyl}]_3)H(CO)_2(PPh_3)_2$ (G.R. Clark, K.R. Flower, C.E.F. Rickard, W.R. Roper, D.M. Salter and L.J. Wright), 331

A novel tricycle with a planar tetragermanium(I) four-membered ring (H.H. Karsch, G. Baumgartner and S. Gamper), C3

Gold

Studies on the complex $[Rh\{\sigma,\eta^5\text{-}7,9\text{-}C_2B_9H_{10}[C(H)C_6H_4Me\text{-}4]\text{-}10\}(CO)(PPh_3)]$; crystal structure of the compound $[Rh(CO)(PPh_3)\{\eta^5\text{-}7,9\text{-}C_2B_9H_{10}[C(H)(C_6H_4Me\text{-}4)(PEt_3)]\text{-}10\}]$ (J.E. Goldberg, J.C. Jeffery and F.G.A. Stone), 353

Hafnium

Divalent η-arene(bis-η-allyl) derivatives of zirconium and hafnium (M.L.H. Green and X. Morise), 209

Iridium

Synthesis and structure of $Ir_4Sn_3(CO)_6\{CH(SiMe_3)_2\}_5O_3$; a heterometallic 'raft' with sail hoisted! (C.J. Cardin, M.B. Power and D.J. Cardin), C27

Iron

Chlormethylchlorphosphane R(Cl)P–CH_2–Cl – Synthone für den Aufbau von Phosphaalkenen im Metalltemplat (D.J. Brauer, A. Ciccu, J. Fischer, G. Heßler, O. Stelzer und W.S. Sheldrick), 111

Structures of [^{t}BucpFe$(CO)_2]_2$ and [^{t}Bu$_2$cpFe$(CO)_2]_2$ (J.D. Cotton, K.A. Byriel, C.H.L. Kennard, T. Scheck and D.E. Lynch), 243

Synthesis and properties of sterically congested cyclopentadienes and their transition metal complexes (T.J. Clark, C.M. Killian, S. Luthra and T.A. Nile), 247

Synthesis and photolysis of the five possible isomeric phenyl-hexamethyltrisilyl-(cyclopentadienyldicarbonyliron) complexes: (η^5-C_5H_5)Fe$(CO)_2Si_3Me_6$Ph (C. Hernandez, H.K. Sharma and K.H. Pannell), 259

Rigid rod σ-acetylide complexes of iron, ruthenium and osmium (Z. Atherton, C.W. Faulkner, S.L. Ingham, A.K. Kakkar, M.S. Khan, J. Lewis, N.J. Long and P.R. Raithby), 265

Bimetallic alkoxysilyl complexes with bis(diphenylphosphino)methane, 2-(diphenylphosphino)pyridine or (diphenylphosphino)acetophenone ligands: crystal structure of [Fe{μ-Si$(OMe)_2$(OMe)}-$(CO)_3$(μ-dppm)Pt(C≡NR)][PF_6] (R = 2,6-xylyl) (P. Braunstein, T. Faure, M. Knorr, F. Balegroune and D. Grandjean), 271

Dynamic NMR studies of 1,1′,2,2′-bis(1,2,3-trithia-[3])ferrocenophane and some mixed sulphur/selenium-bridged derivatives (E.W. Abel, N.J. Long, K.G. Orrell, V. Šik and G.N. Ward), 287

Lanthanum

Metallorganische Verbindungen der Lanthanoide. LXXVIII. Bis(pentamethylcyclopentadienyl)[4-(1,2,3,4,5-pentamethylcyclopentadien-1-yl)butoxy](tetrahydrofuran)lanthanoide (H. Schumann, M. Glanz, H. Hemling und F.H. Görlitz), 155

Lanthanoiden-Komplexe. VI. Monomere homoleptische Ln(R^{Do}-$Cp)_3$-Komplexe (Ln = La, Nd) mit aminofunktionalisierten Cyclopentadienyl-Liganden (R. Anwander, W.A. Herrmann, W. Scherer und F.C. Munck), 163

Lithium

The X-ray crystal structures of the mononuclear silyllithium species Li$(THF)_3SiPh_3$ and Li$(THF)_3Si(SiMe_3)_3$ (H.V.R. Dias, M.M. Olmstead, K. Ruhlandt-Senge and P.P. Power), 1

Reactions of pyridine-functionalized lithium alkyls with nickelocenes and nickel(II) chloride: respective formation of cyclopentadienylnickelalkyls and coupled organic products. X-Ray crystal structures of [(η^5-C_5H_5)Ni{$C(SiMe_3)_2C_5H_5N$-2}] and {$CH(SiMe_3)$-C_5H_4N-2}$_2$ (W.-P. Leung, H.-K. Lee, Z.-Y. Zhou and T.C.W. Mak), 7

Trimethylsilyl derivatives of cyclooctatetraene (N.C. Burton, F.G.N. Cloke, S.C.P. Joseph, H. Karamallakis and A.A. Sameh), 39

Synthesis and properties of sterically congested cyclopentadienes and their transition metal complexes (T.J. Clark, C.M. Killian, S. Luthra and T.A. Nile), 247

Lutetium

Metallorganische Verbindungen der Lanthanoide. LXXVIII. Bis(pentamethylcyclopentadienyl)[4-(1,2,3,4,5-pentamethylcyclopentadien-1-yl)butoxy](tetrahydrofuran)lanthanoide (H. Schumann, M. Glanz, H. Hemling und F.H. Görlitz), 155

Lanthanoiden-Komplexe. VI. Monomere homoleptische Ln(R^{Do}-$Cp)_3$Komplexe (Ln = La, Nd) mit aminofunktionalisierten Cyclopentadienyl-Liganden (R. Anwander, W.A. Herrmann, W. Scherer und F.C. Munck), 163

Magnesium

Carbene adducts of magnesium and zinc (A.J. Arduengo III, H.V.R. Dias, F. Davidson and R.L. Harlow), 13

Manganese

Studies on the complex [Rh{σ,η^5-7,9-$C_2B_9H_{10}$[C(H)C_6H_4Me-4]-10}$(CO)(PPh_3)$]; crystal structure of the compound [Rh(CO)-(PPh_3){η^5-7,9-$C_2B_9H_{10}$[C(H)(C_6H_4Me-4)(PEt_3)]-10}] (J.E. Goldberg, J.C. Jeffery and F.G.A. Stone), 353

Mercury

The preparation and crystal structures of the compounds $(Ph_2MeSi)_3CMCl$ (M = Zn, Cd, or Hg) (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock, J.D. Smith, K. Tavakkoli and A.D. Webb), 45

Metallocenes

Dicyclopentadienyl–titanium and –zirconium complexes as catalysts for hydrogenation of olefins (T. Cuenca, J.C. Flores and P. Royo), 191

Synthese und Kristallstruktur von $Cp^0{}_2$Zr{P(2,4,6-$Me_3C_6H_2$)P(2,4,6-$Me_3C_6H_2$)} ($Cp^0 = \eta^5$-C_5Me_4Et). Erste röntgenstrukturanalytische Untersuchung eines Zirkonocen–Diphosphen-Komplexes (S. Kurz und E. Hey-Hawkins), 203

Dynamic NMR studies of 1,1′,2,2′-bis(1,2,3-trithia-[3])ferrocenophane and some mixed sulphur/selenium-bridged derivatives (E.W. Abel, N.J. Long, K.G. Orrell, V. Šik and G.N. Ward), 287

Synthesis, structural characterisation and reactivity of the d^2 pseudo-metallocene complex Mo(N-2,6-$^i Pr_2C_6H_3)_2(PMe_3)_2$ (P.W. Dyer, V.C. Gibson, J.A.K. Howard and C. Wilson), C15

Molybdenum

Übergangsmetall-Stannyl-Komplexe. VIII. Unterschiedlicher Verlauf der Umsetzung von $Cp_2Mo(H)ER_3$ (ER_3 = $SiMePh_2$ und $SnPh_3$) mit Butyllithium. Substitutions-Reaktionen des anionischen Stannyl-Komplexes [Cp_2Mo–$SnPh_3$]$^-$ und Bildung von Cp_2Mo(Sn-Ph_3)$(CH_2)_4OSiMe_3$ mit Me_3SiCl und Tetrahydrofuran (S. Seebald, B. Mayer und U. Schubert), 225

Synthesis and properties of sterically congested cyclopentadienes and their transition metal complexes (T.J. Clark, C.M. Killian, S. Luthra and T.A. Nile), 247

Synthesis, structural characterisation and reactivity of the d^2 pseudo-metallocene complex Mo(N-2,6-$^i Pr_2C_6H_3)_2(PMe_3)_2$ (P.W. Dyer, V.C. Gibson, J.A.K. Howard and C. Wilson), C15

Neodymium

Metallorganische Verbindungen der Lanthanoide. LXXVIII. Bis(pentamethylcyclopentadienyl)[4-(1,2,3,4,5-pentamethylcyclopentadien-1-yl)butoxy](tetrahydrofuran)lanthanoide (H. Schumann, M. Glanz, H. Hemling und F.H. Görlitz), 155

Lanthanoiden-Komplexe. VI. Monomere homoleptische Ln(R^{Do}-$Cp)_3$Komplexe (Ln = La, Nd) mit aminofunktionalisierten Cyclopentadienyl-Liganden (R. Anwander, W.A. Herrmann, W. Scherer und F.C. Munck), 163

Nickel

Reactions of pyridine-functionalized lithium alkyls with nickelocenes and nickel(II) chloride: respective formation of cyclopentadienylnickelalkyls and coupled organic products. X-Ray crystal structures of [(η^5-C_5H_5)Ni{$C(SiMe_3)_2C_5H_5N$-2}] and {$CH(SiMe_3)C_5$-H_4N-2}$_2$ (W.-P. Leung, H.-K. Lee, Z.-Y. Zhou and T.C.W. Mak), 7

Niobium

Redox reactions of vanadium(0) and niobium(0) bis(mesitylene) (mes) derivatives with metal carbonyl halides of Group 7. The crystal and molecular structure of $[mes(CO)_2Nb(\mu\text{-}I)_2Re(CO)_3]$, a metal–metal bonded heterobimetallic complex (F. Calderazzo, G.E. De Benedetto, G. Pampaloni, L. Rocchi and U. Englert), C10

Niobium and tantalum methyl complexes containing imido and cyclopentadienyl ligands. Crystal structure of $[Nb(\eta\text{-}C_5H_5)(N^tBu)(Me)(Cl)]$ (V.C. Gibson, A.D. Poole, U. Siemeling, D.N. Williams, W. Clegg and D.C.R. Hockless), C12

Osmium

Rigid rod σ-acetylide complexes of iron, ruthenium and osmium (Z. Atherton, C.W. Faulkner, S.L. Ingham, A.K. Kakkar, M.S. Khan, J. Lewis, N.J. Long and P.R. Raithby), 265

Oxidative addition of Group 14 hydrides to osmium(0), osmium(II) and ruthenium(0) complexes. Crystal structures of $Os(SiEt_3)H(CO)_2(PPh_3)_2$ and $Os(Ge[p\text{-tolyl}]_3)H(CO)_2(PPh_3)_2$ (G.R. Clark, K.R. Flower, C.E.F. Rickard, W.R. Roper, D.M. Salter and L.J. Wright), 331

Phosphorus

A new type of water-soluble phosphine for biphasic catalysis (F. Mercier and F. Mathey), 103

The crystal and molecular structure of tricyclohexylphosphine-(trimethylsilyl)borane $Cy_3P \cdot BH_2SiMe_3$ (A. Blumenthal, P. Bissinger and H. Schmidbaur), 107

Chlormethylchlorphosphane R(Cl)P–CH_2–Cl – Synthone für den Aufbau von Phosphaalkenen im Metalltemplat (D.J. Brauer, A. Ciccu, J. Fischer, G. Heßler, O. Stelzer und W.S. Sheldrick), 111

Synthese und Kristallstruktur von $Cp^0{}_2Zr\{P(2,4,6\text{-}Me_3C_6H_2)P(2,4,6\text{-}Me_3C_6H_2)\}$ ($Cp^0 = \eta^5\text{-}C_5Me_4Et$). Erste röntgenstrukturanalytische Untersuchung eines Zirkonocen–Diphosphen-Komplexes (S. Kurz und E. Hey-Hawkins), 203

Aren- und Cyclopentadienyl-Halbsandwichkomplexe des Rutheniums mit Oximaten, Carboxylaten, Iminen und Azavinylidenen als Liganden (H. Werner, T. Daniel, W. Knaup und O. Nürnberg), 309

Syntheses and ^{31}P NMR studies of ruthenium(II), rhodium(I), and rhodium(III) complexes containing $\eta^5\text{-}P_2C_3{}^tBu_3$ and η^5- and $\eta^1\text{-}P_3C_2{}^tBu_2$ ligated ring systems. Crystal structures of $[Rh(\eta^5\text{-}P_2C_3{}^tBu_3)(\eta^4\text{-COD})]$ (COD = 1,5-cyclooctadiene) and the novel hydrido-η^1-triphosphacyclopentadienyl complex $[RhH(\eta^1\text{-}P_3C_2{}^tBu_2)(\eta^5\text{-}C_5Me_5)PPh_3]$ (P.B. Hitchcock, R.M. Matos and J.F. Nixon), 319

Platinum

Bimetallic alkoxysilyl complexes with bis(diphenylphosphino)methane, 2-(diphenylphosphino)pyridine or (diphenylphosphino)acetophenone ligands: crystal structure of $[Fe\{\mu\text{-}Si(OMe)_2(OMe)\}(CO)_3(\mu\text{-dppm})Pt(C{\equiv}NR)][PF_6]$ (R = 2,6-xylyl) (P. Braunstein, T. Faure, M. Knorr, F. Balegroune and D. Grandjean), 271

Synthesis and interconversion of *triangulo* cluster compounds of platinum with isocyanide and phosphine ligands (J.L. Haggitt and D.M.P. Mingos), 365

Praseodymium

Zur Elektronenstruktur metallorganischer Verbindungen der *f*-Elemente. XXXIV. Ist der *N,N'*-bis(trimethylsilyl)benzamidinato-Ligand im Falle von Lanthanoid-Zentralionen ein elektronisches Äquivalent zum η^5-Cyclopentadienyl-Liganden? (C. Hagen, H. Reddmann, H.-D. Amberger, F.T. Edelmann, U. Pegelow, G.V. Shalimoff und N.M. Edelstein), 69

Rhenium

Syntheses and structures of *trans*-$[ReX(CO)(Ph_2PCH_2PPh_2)_2]$ (X = Cl, $OReO_3$), including a rhenium(I)–rhenium(VII) complex (L. Manojlovic-Muir, K.W. Muir, M.-A. Rennie, J. Xiao and R.J. Puddephatt), 235

Rhodium

Syntheses and ^{31}P NMR studies of ruthenium(II), rhodium(I), and rhodium(III) complexes containing $\eta^5\text{-}P_2C_3{}^tBu_3$ and η^5- and $\eta^1\text{-}P_3C_2{}^tBu_2$ ligated ring systems. Crystal structures of $[Rh(\eta^5\text{-}P_2C_3{}^tBu_3)(\eta^4\text{-COD})]$ (COD = 1,5-cyclooctadiene) and the novel hydrido-η^1-triphosphacyclopentadienyl complex $[RhH(\eta^1\text{-}P_3C_2{}^tBu_2)(\eta^5\text{-}C_5Me_5)PPh_3]$ (P.B. Hitchcock, R.M. Matos and J.F. Nixon), 319

A spectroscopic study of halocarbonyl complexes of rhodium(I) and (III) (B.T. Heaton, C. Jacob and S. Moffet), 347

Studies on the complex $[Rh\{\sigma,\eta^5\text{-}7,9\text{-}C_2B_9H_{10}[C(H)C_6H_4Me\text{-}4]\text{-}10\}(CO)(PPh_3)]$; crystal structure of the compound $[Rh(CO)(PPh_3)\{\eta^5\text{-}7,9\text{-}C_2B_9H_{10}[C(H)(C_6H_4Me\text{-}4)(PEt_3)]\text{-}10\}]$ (J.E. Goldberg, J.C. Jeffery and F.G.A. Stone), 353

Ruthenium

Rigid rod σ-acetylide complexes of iron, ruthenium and osmium (Z. Atherton, C.W. Faulkner, S.L. Ingham, A.K. Kakkar, M.S. Khan, J. Lewis, N.J. Long and P.R. Raithby), 265

Axially asymmetric metal alkyls. VIII. The ruthenium metallacycle $[Ru\{(2\text{-}CH_2C_6H_4)_2\}(PPhMe_2)_3]$ and *o*-metallated $[Ru\{PC_6H_4(Me)_2\}X(PPhMe_2)_3]$ (X = Cl, Br) (S.D. Chappell, L.M. Engelhardt, A.H. White and C.L. Raston), 295

The synthesis, structural characterisation and variable temperature ^1H NMR study of the bis-toluene hexaruthenium carbidocarbonyl cluster $[Ru_6C(CO)_{11}(\eta^6\text{-}C_6H_5Me)(\mu_3\text{-}\eta^2:\eta^2:\eta^2\text{-}C_6H_5Me)]$ (D. Braga, F. Grepioni, E. Parisini, P.J. Dyson, B.F.G. Johnson, D. Reed, D.S. Shepherd, P.J. Bailey and J. Lewis), 301

Aren- und Cyclopentadienyl-Halbsandwichkomplexe des Rutheniums mit Oximaten, Carboxylaten, Iminen und Azavinylidenen als Liganden (H. Werner, T. Daniel, W. Knaup und O. Nürnberg), 309

Syntheses and ^{31}P NMR studies of ruthenium(II), rhodium(I), and rhodium(III) complexes containing $\eta^5\text{-}P_2C_3{}^tBu_3$ and η^5- and $\eta^1\text{-}P_3C_2{}^tBu_2$ ligated ring systems. Crystal structures of $[Rh(\eta^5\text{-}P_2C_3{}^tBu_3)(\eta^4\text{-COD})]$ (COD = 1,5-cyclooctadiene) and the novel hydrido-η^1-triphosphacyclopentadienyl complex $[RhH(\eta^1\text{-}P_3C_2{}^tBu_2)(\eta^5\text{-}C_5Me_5)PPh_3]$ (P.B. Hitchcock, R.M. Matos and J.F. Nixon), 319

Oxidative addition of Group 14 hydrides to osmium(0), osmium(II) and ruthenium(0) complexes. Crystal structures of $Os(SiEt_3)H(CO)_2(PPh_3)_2$ and $Os(Ge[p\text{-tolyl}]_3)H(CO)_2(PPh_3)_2$ (G.R. Clark, K.R. Flower, C.E.F. Rickard, W.R. Roper, D.M. Salter and L.J. Wright), 331

Novel secondary allenylidene ruthenium complexes and preparation of *trans*-$[(dppm)_2(H)Ru\text{–}C{\equiv}C\text{–}CH(OMe)R]$ derivatives (N. Pirio, D. Touchard and P.H. Dixneuf), C18

Chiral phosphine complexes of ruthenium(II) arenes (D.E. Fogg and B.R. James), C21

New electron rich Ru_3P_4 and Ru_4P_3 phosphido clusters: synthesis and molecular structures of the expanded triangular and butterfly clusters $(\mu_3\text{-}H)Ru_3(CO)_6(\mu\text{-}PPh_2)_3[\mu\text{-}P(Ph)C_6H_4]$ and $(\mu\text{-}$

clusters $(\mu_3\text{-H})Ru_3(CO)_6(\mu\text{-}PPh_2)_3[\mu\text{-}P(Ph)C_6H_4]$ and $(\mu\text{-H})_2Ru_4(CO)_{10}(\mu_3\text{-PPh})(\mu PPh_2)_2$ (J.F. Corrigan, S. Doherty, N.J. Taylor, A.J. Carty, E. Boroni and A. Tiripicchio), C24

Scandium

Molecular structures of tris(methylcyclopentadienyl)-scandium and -ytterbium as studied by gas phase electron diffraction and molecular mechanics calculations: the scandium atom is too small to accommodate three pentahapto cyclopentadienyl rings (R. Blom, A. Hammel, A. Haaland, J. Weidlein, T.V. Timofeeva and Y.T. Struchkov), 131

Silicon

The X-ray crystal structures of the mononuclear silyllithium species $Li(THF)_3SiPh_3$ and $Li(THF)_3Si(SiMe_3)_3$ (H.V.R. Dias, M.M. Olmstead, K. Ruhlandt-Senge and P.P. Power), 1

Structures of sterically overcrowded or charge-perturbed molecules. XXVIII. $[(H_3C)_3Si]_3C\text{–}C{\equiv}C\text{–}C[Si(CH_3)_3]_3$ – a π-system concealed by a hydrocarbon veil (H. Bock, J. Meuret and K. Ruppert), 31

Trimethylsilyl derivatives of cyclooctatetraene (N.C. Burton, F.G.N. Cloke, S.C.P. Joseph, H. Karamallakis and A.A. Sameh), 39

The preparation and crystal structures of the compounds $(Ph_2MeSi)_3CMCl$ (M = Zn, Cd, or Hg) (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock, J.D. Smith, K. Tavakkoli and A.D. Webb), 45

Pentamethyldisilanyl-substituierte Cyclopentadiene: Synthese, Struktur und dynamisches Verhalten (P. Jutzi, J. Kleimeier, R. Krallmann, H.-G. Stammler und B. Neumann), 57

Zur Elektronenstruktur metallorganischer Verbindungen der *f*-Elemente. XXXIV. Ist der *N,N'*-bis(trimethylsilyl)benzamidinato-Ligand im Falle von Lanthanoid-Zentralionen ein elektronisches Äquivalent zum η^5-Cyclopentadienyl-Liganden? (C. Hagen, H. Reddmann, H.-D. Amberger, F.T. Edelmann, U. Pegelow, G.V. Shalimoff und N.M. Edelstein), 69

Preparation and structures of mixed silicon-cobalt carbonyl clusters with Si–H, Si–O or Si–S bonds (M. Van Tiel, K.M. Mackay and B.K. Nicholson), 79

The crystal and molecular structure of tricyclohexylphosphine-(trimethylsilyl)borane $Cy_3P \cdot BH_2SiMe_3$ (A. Blumenthal, P. Bissinger and H. Schmidbaur), 107

Übergangsmetall-Stannyl-Komplexe. VIII. Unterschiedlicher Verlauf der Umsetzung von $Cp_2Mo(H)ER_3$ ($ER_3 = SiMePh_2$ und $SnPh_3$) mit Butyllithium. Substitutions-Reaktionen des anionischen Stannyl-Komplexes $[Cp_2Mo\text{–}SnPh_3]^-$ und Bildung von $Cp_2Mo(SnPh_3)(CH_2)_4OSiMe_3$ mit Me_3SiCl und Tetrahydrofuran (S. Seebald, B. Mayer und U. Schubert), 225

Synthesis and photolysis of the five possible isomeric phenyl-hexamethyltrisilyl-(cyclopentadienyldicarbonyliron) complexes: $(\eta^5\text{-}C_5H_5)Fe(CO)_2Si_3Me_6Ph$ (C. Hernandez, H.K. Sharma and K.H. Pannell), 259

Bimetallic alkoxysilyl complexes with bis(diphenylphosphino)methane, 2-(diphenylphosphino)pyridine or (diphenylphosphino)acetophenone ligands: crystal structure of $[Fe\{\mu\text{-}Si(OMe)_2(OMe)\}(CO)_3(\mu\text{-dppm})Pt(C{\equiv}NR)][PF_6]$ (R = 2,6-xylyl) (P. Braunstein, T. Faure, M. Knorr, F. Balegroune and D. Grandjean), 271

Oxidative addition of Group 14 hydrides to osmium(0), osmium(II) and ruthenium(0) complexes. Crystal structures of $Os(SiEt_3)H(CO)_2(PPh_3)_2$ and $Os(Ge[p\text{-tolyl}]_3)H(CO)_2(PPh_3)_2$ (G.R. Clark, K.R. Flower, C.E.F. Rickard, W.R. Roper, D.M. Salter and L.J. Wright), 331

Tantalum

Synthesis and characterization of $(\eta^5\text{-}C_5Me_5)_2TaCl(THF)$, a useful synthetic precursor for the preparation of oxo, imido and methylidene derivatives of permethyltantalocene (D.M. Antonelli, W.P. Schaefer, G. Parkin and J.E. Bercaw), 213

Niobium and tantalum methyl complexes containing imido and cyclopentadienyl ligands. Crystal structure of $[Nb(\eta\text{-}C_5H_5)(N^tBu)(Me)(Cl)]$ (V.C. Gibson, A.D. Poole, U. Siemeling, D.N. Williams, W. Clegg and D.C.R. Hockless), C12

Tellurium

The oxidation of diphenyl ditelluride by substituted orthobenzoquinones, and the molecular structure of $[(Cl_4C_6O_2)TeC_6H_5]_2O$ (Z. Tian and D.G. Tuck), 125

Thulium

Metallorganische Verbindungen der Lanthanoide. LXXVIII. Bis(pentamethylcyclopentadienyl)[4-(1,2,3,4,5-pentamethylcyclopentadien-1-yl)butoxy](tetrahydrofuran)lanthanoide (H. Schumann, M. Glanz, H. Hemling und F.H. Görlitz), 155

Tin

Pentamethyldisilanyl-substituierte Cyclopentadiene: Synthese, Struktur und dynamisches Verhalten (P. Jutzi, J. Kleimeier, R. Krallmann, H.-G. Stammler und B. Neumann), 57

Übergangsmetall-Stannyl-Komplexe. VIII. Unterschiedlicher Verlauf der Umsetzung von $Cp_2Mo(H)ER_3$ ($ER_3 = SiMePh_2$ und $SnPh_3$) mit Butyllithium. Substitutions-Reaktionen des anionischen Stannyl-Komplexes $[Cp_2Mo\text{–}SnPh_3]^-$ und Bildung von $Cp_2Mo(SnPh_3)(CH_2)_4OSiMe_3$ mit Me_3SiCl und Tetrahydrofuran (S. Seebald, B. Mayer und U. Schubert), 225

Rigid rod σ-acetylide complexes of iron, ruthenium and osmium (Z. Atherton, C.W. Faulkner, S.L. Ingham, A.K. Kakkar, M.S. Khan, J. Lewis, N.J. Long and P.R. Raithby), 265

Oxidative addition of Group 14 hydrides to osmium(0), osmium(II) and ruthenium(0) complexes. Crystal structures of $Os(SiEt_3)H(CO)_2(PPh_3)_2$ and $Os(Ge[p\text{-tolyl}]_3)H(CO)_2(PPh_3)_2$ (G.R. Clark, K.R. Flower, C.E.F. Rickard, W.R. Roper, D.M. Salter and L.J. Wright), 331

Synthesis and structure of $Ir_4Sn_3(CO)_6\{CH(SiMe_3)_2\}_5O_3$; a heterometallic 'raft' with sail hoisted! (C.J. Cardin, M.B. Power and D.J. Cardin), C27

Titanium

Dicyclopentadienyl–titanium and –zirconium complexes as catalysts for hydrogenation of olefins (T. Cuenca, J.C. Flores and P. Royo), 191

The regiospecific reaction of diphenylacetylene with bis(cyclopentadienyl)(*o*-fluorobenzyne)titanium. The crystal structure of the $Cr(CO)_3$ derivative of 1,1-bis(cyclopentadienyl)-2,3-diphenyl-7-fluorotitanole (I.R. Butler, W.R. Cullen, F.W.B. Einstein and R.H. Jones), C6

Tungsten

Synthesis and properties of sterically congested cyclopentadienes and their transition metal complexes (T.J. Clark, C.M. Killian, S. Luthra and T.A. Nile), 247

Uranium

Preparation of $(Me_3CC_5H_4)_4M_2(\mu\text{-Me})_2$ (M = Ce or U) and the crystal structure of the cerium derivative (S.D. Stults, R.A. Andersen and A. Zalkin), 175

Vanadium

Redox reactions of vanadium(0) and niobium(0) bis(mesitylene) (mes) derivatives with metal carbonyl halides of Group 7. The crystal and molecular structure of $[mes(CO)_2Nb(\mu\text{-}I)_2Re(CO)_3]$, a metal–metal bonded heterobimetallic complex (F. Calderazzo, G.E. De Benedetto, G. Pampaloni, L. Rocchi and U. Englert), C10

Ytterbium

Molecular structures of tris(methylcyclopentadienyl)-scandium and -ytterbium as studied by gas phase electron diffraction and molecular mechanics calculations: the scandium atom is too small to accommodate three pentahapto cyclopentadienyl rings (R. Blom, A. Hammel, A. Haaland, J. Weidlein, T.V. Timofeeva and Y.T. Struchkov), 131

Organolanthanoids. XVIII. The synthesis and X-ray crystal structure of di[μ-chlorobis(diphenylphosphino-η^5-cyclopentadienyl)ytterbium(III)] (G.B. Deacon, G.D. Fallon and C.M. Forsyth), 183

Yttrium

New coordination environments for yttrium formed *in situ* by heterometallic bridging: crystal structures of $(C_5H_4SiMe_3)Y[(\mu\text{-}OCMe_3)(\mu\text{-}Me)AlMe_2]_2$ and $(Me_3SiCH_2)Y[(\mu\text{-}CH_2)_2SiMe_2]\text{-}[(\mu\text{-}OR)Li(THF)_2]_2$ (W.J. Evans, T.J. Boyle and J.W. Ziller), 141

Synthesis of new bis(cyclopentadienyl)yttrium complexes with ether functionalized cyclopentadienyl ligands. Crystal structure of $[(C_5H_4CH_2CH_2OMe)_2Y(\mu\text{-}H)_2BH_2]$ (D.A. Laske, R. Duchateau, J.H. Teuben and A.L. Spek), 149

Zinc

Carbene adducts of magnesium and zinc (A.J. Arduengo III, H.V.R. Dias, F. Davidson and R.L. Harlow), 13

The preparation and crystal structures of the compounds $(Ph_2MeSi)_3CMCl$ (M = Zn, Cd, or Hg) (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock, J.D. Smith, K. Tavakkoli and A.D. Webb), 45

Zirconium

Dicyclopentadienyl–titanium and –zirconium complexes as catalysts for hydrogenation of olefins (T. Cuenca, J.C. Flores and P. Royo), 191

Synthese und Kristallstruktur von $Cp^0{}_2\overline{Zr\{P(2,4,6\text{-}Me_3C_6H_2)P(2,4,6\text{-}Me_3C_6H_2)\}}$ ($Cp^0 = \eta^5\text{-}C_5Me_4Et$). Erste röntgenstrukturanalytische Untersuchung eines Zirkonocen–Diphosphen-Komplexes (S. Kurz und E. Hey-Hawkins), 203

Divalent η-arene(bis-η-allyl) derivatives of zirconium and hafnium (M.L.H. Green and X. Morise), 209